

## 215 HW TI Graphing (24pts)

### To receive credit:

- Write all answers in your bound journal.
- Use your TI-84 to graph the data
- Solve for the equation for the line
- What is the slope equal to?
- What is the  $R^2$  value and why is it important?
- What dot (X, Y components) are not on the line (skewed data)


$$\text{Time} = \text{dots} * 0.0167$$

$$\text{Average velocity} = \text{distance}/\text{time}$$

$$\text{Final speed} = 2 * V_{\text{avg}}$$


Trial 1: from lab bench (EXAMPLE)

Dot position	distance traveled from start (meters)	time transpired (seconds)	average velocity (m/s)	final speed (m/s)
5	0.0212			
10	0.110			
15	0.191			
20	0.339			




### Trial 1:

Dot position	distance traveled from start (meters)	time transpired (seconds)	average velocity (m/s)	final speed (m/s)
5	0.0100			
10	0.0700			
15	0.120			
20	0.330			



## Trial 2:

Dot position	distance traveled from start (meters)	time transpired (seconds)	average velocity (m/s)	final speed (m/s)
5	0.0300			
10	0.0900			
15	0.150			
20	0.380			



### Trial 3:

Dot position	distance traveled from start (meters)	time transpired (seconds)	average velocity (m/s)	final speed (m/s)
5	0.0100			
10	0.0700			
15	0.160			
20	0.330			

